


# DRÄGER RENTAL

RENTAL CATALOGUE



# Dräger Rental

Helps you to manage your safety  
operations simpler, safer, more  
reliable, flexible and economical.



GLOBAL NETWORK



AVAILABILITY



PROFESSIONAL LOGISTICS

# Safety technology for rent

## a lean business model with a bright future

Whether it's a helmet, face mask or a gas detector: Our everyday tools are most useful when they're on hand exactly when and where you need them. On the other hand, owning them can sometimes become a burden.

Sound planning is essential for superior safety management. However, in practice, things don't always go as planned. Breakdowns or unforeseen incidents can result in bottlenecks or demand peaks which can require special equipment for specific operations.

This catalogue is your tool to learn about our extensive rental equipment portfolio we have on offer in South Africa. Do you still have questions? Please don't hesitate to contact us at any time! Our experts look forward to providing you with customised advice.



**ALL-IN-ONE-PACKAGES**



**BREATHING AIR SUPPLY**



**GAS DETECTION TECHNOLOGY**



**CHEMICAL PROTECTIVE SUITS**



**FALL PROTECTION**



**VENTILATION SYSTEMS**



**FIRE PROTECTION**



**COMMUNICATION**

# Safety without compromise on lean terms



When your situation gets tight, you can look forward to a broad range of products and services with us. With more than 125,000 rental equipment items, Dräger Rental Service ensures that you are perfectly equipped to take on any deployment.

#### **MAXIMUM EFFICIENCY, MAXIMUM FLEXIBILITY**

No matter whether you require one item or a thousand, whether you want to bridge a short-term bottleneck or have a longer-term need for special equipment. Dräger Rental Service works with you to come up with individual customised solutions.

#### **YOU CAN RELY ON IT: WE WILL FIND THE SAFEST SOLUTION**

Especially when things get tricky, you can count on our cross-industry experience. At Dräger Rental you are advised by competent experts who are familiar with and understand all the demands of your job.

#### **SAFETY IS A MATTER OF TRUST**

When you rent from Dräger, you get quality: high-grade safety equipment that complies with international standards and is continually tested and maintained. You can also trust our services. Working together, we quickly find the products or equipment configurations that comply with your precise requirements. To ensure that equipment replacement and maintenance procedures function smoothly, we use state-of-the-art logistics software. You rent at a fair fixed price that is determined by the rental term. Reliable and transparent.

# Contents

---

## BREATHING AIR SUPPLY

---

**Full-Face Masks – normal Pressure**

---

**Full-Face Masks – Positive Pressure**

---

**Full-Face Masks Accessories**

---

**Powered Air-Purifying respirators**

---

**Purifying respirators – head Pieces**

---

**Powered Air-Purifying respirators Accessories**

---

**Filtering escape Devices**

---

**Escape Devices – compressed Air**

---

**Escape Devices – Oxygen**

---

**Compressed Air and closed-circuit Breathing Apparatus**

---

**Compressed Air and closed-circuit Breathing Apparatus Accessories**

---

**Lung Demand Valves – normal and Positive**

---

**Pressure compressed Air hose units**

---

**Compressed Air hose unit**

---

**Accessories Breathing Air**

---

**compressors**

---

**Breathing Air compressor Accessories**

---

**compressed Air cylinders**

---

## GAS DETECTION TECHNOLOGY

---

**Portable single-gas Detection Devices**

---

**Portable Multi-gas Detection Devices**

---

**Accessories for Portable single- and Multi-gas Detection Devices**

---

**testing and calibration stations for Portable Detection Devices**

---

**Multi-gas scanners**

---

**Short-term Measurement systems**

---

**Alcohol and Drug Measuring systems**

---

**Area Monitoring systems**

---

## FIRE PROTECTION

---

**Fire Protection**

---



# All-in-one-packages

In high demand, proven in everyday practice: For standard applications such as hot work, leak detection or work in confined spaces and silos, we assemble All-In-One-Packages for you, containing all the essentials needed to do your job safely. There is no tedious configuration, as equipment compatibility is done beforehand. This reduces your lead time. All you have to do is unpack, activate, apply and get started.

## **RENTING THE RIGHT WAY. QUICK AND EASY TO USE: OUR RENTAL STARS.**

Products highlighted as Rental Stars are always available and have proved themselves in practice many times. The symbol helps you to find the right choice. Our Rental Stars are marked throughout the entire catalogue so that you can find them quickly and easily. Keep an eye out for this symbol.

## All-In-One-Packages



### Rental Robot



**Description:** The Rental Robot is a system of secure lockers from which authorized users can check out fully charged and calibrated equipment. This innovative system automates material logistics for your safety equipment and can help you achieve compliance. The Dräger Rental Robot is available in different sizes with variable module and compartment configurations to suit your specific requirements. Small gas detectors are stored as efficiently as large breathing apparatus, and the Rental Robot can be fully stocked with Dräger products or left empty to be filled on-site.

---

**Rental no.:** kit 1

---

**Scope of delivery** Configure your own system from the below components:

- \_\_\_\_\_ 16 way locker
- \_\_\_\_\_ 8 way locker
- \_\_\_\_\_ 5 way locker
- \_\_\_\_\_ 3 way locker
- \_\_\_\_\_ Terminal
- \_\_\_\_\_ License /Software
- \_\_\_\_\_ Router

## All-In-One-Packages



### All-in-one-package Personal gas Detection Device ex (catalytic), O<sub>2</sub>, CO, H<sub>2</sub>S

Ex-Ox-Tox... gas hazards!

**Description:** When you need to monitor multiple gases simultaneously, multi-gas detection devices like the Dräger X-am® 5000 generation are the right choice. Dräger gas detection technology reliably helps you track down a wide range of hazardous substances in the ambient air, even at low concentrations.

The compact, ergonomic device is ideal for everyday personal safety.

Rental no.: kit 2

Scope of delivery	All-In-One-Package consisting of:	rental no.	Order no.
	Dräger X-am® 5000	SRM04207	8320000
	Dräger X-am 1/2/5x00 charging module	SRM03693	8318639
	Battery charger 12 V/1.2 a (for 1 X-am 7000 or 2 X-am 2/5x00)	SRM06539	8315635
	Drägersensor CatEx 125 PR	SRM04311	6812950
	Drägersensor XXs H2S	SRM04312	6810883
	Drägersensor XXS O <sub>2</sub>	SRM04313	6810881
	Drägersensor XXS CO	SRM04371	6810882



## All-In-One-Packages



D-385-

### All-in-one-package

## Personal gas Detection Device ex (infrared)/ CO<sub>2</sub>, O<sub>2</sub>, CO, H<sub>2</sub>S



Ex-Ox-Tox... gas hazards!

**Description:** When you need to monitor multiple gases simultaneously, multi-gas detection devices like the Dräger X-am® 5600 series are the right choice. They reliably monitor the ambient air for explosive gases and fumes like O<sub>2</sub>, CO, CO<sub>2</sub> and H<sub>2</sub>S.

The high-power IR ex infrared sensor is designed to withstand the most demanding conditions.

Rental no.: kit 3

#### Scope of delivery

All-In-One-Package consisting of:	Rental no.	Order no.
Dräger X-am® 5600	SRM06492	8321050
Dräger X-am 1/2/5x00 charging module	SRM03693	8318639
Battery charger 12 V/1.2 a (for 1 X-am 7000 or 2 X-am 2/5x00)	SRM06539	8315635
Drägersensor Dual IR Ex/CO <sub>2</sub>	SRM04302	6810590
Drägersensor XXS H <sub>2</sub> S	SRM04312	6810710
Drägersensor XXS O <sub>2</sub>	SRM04313	6810881
Drägersensor XXS CO	SRM04327	6810260

## All-In-One-Packages



### All-in-one-package Area monitoring (X-zone) ex, o<sub>2</sub>, co, H<sub>2</sub>s

#### Wireless alarm chains

**Description:** The Dräger X-zone 5500 transforms Dräger X-am® 5000 personal gas detection devices into innovative area monitoring devices with a wide range of possible applications.

Connect up to 25 individual devices in a single wireless network (for example, inside storage tanks) to secure the entire area.

A patented combination for added safety: in addition to personal safety devices worn on the body, these durable, waterproof area monitors can be placed directly in spots that are prone to gas leaks.

Rental no.: kit 4

Scope of delivery	All-In-One-Package consisting of:	Rental no.	Order no.
	Dräger X-zone 5500 pump, 868 mHZ/24 aH	SRM10246	8324821
	Dräger X-zone 5000 Diffusion cap	SRM06268	8323935
	Dräger X-zone 5000 Holder X-am pump	SRM06269	8323936
	Dräger X-zone 5000 single charger 15 V/2 a	SRM06274	8320749
	Dräger X-am 5000	SRM04207	8320000
	Dräger X-am 1/2/5x00 charging module	SRM03693	8318639
	Battery charger 12 V/1.2 a (for 1 X-am 7000 or 2 X-am 2/5x00)	SRM06539	8315635
	Drägersensor CatEX 125 PR	SRM04311	6812950
	Drägersensor XXS H <sub>2</sub> S	SRM04312	6810883
	Drägersensor XXS O <sub>2</sub>	SRM04313	6810881
	Drägersensor XXS CO	SRM04371	6810882

D-14289-

# All-In-One-Packages



## All-in-one-package Area monitoring (infrared) ex, o<sub>2</sub>, co, H<sub>2</sub>s, co<sub>2</sub>

Ex-Ox-Tox... gas hazards!

**Description:** Dräger gas detection technology reliably helps you track down a wide range of hazardous substances in the ambient air, even at low concentrations. When you need to monitor multiple gases simultaneously, the Dräger X-am® 8000 multi-gas detection device is the right choice. It simultaneously detects up to seven toxic and/or flammable gases and fumes, as well as oxygen – either in pump or diffusion mode.

The innovative signalling design and convenient assistant functions ensure maximum safety throughout the process. Specially developed accessories enable you, for example, to conduct clearance tests for safe entry into confined spaces.

Rental no.: kit 5

Scope of delivery	All-In-One-Package consisting of:	rental no.	Order no.
	Dräger X-am® 8000	SRM11894	8325800
	Dräger X-am 8000 pump adapter incl. dust and water filter	SRM11896	8326820
	Dräger X-am 8000 pump	SRM11895	–
	Dräger telescopic probe 100, with accessories	SRM06278	8316530
	Dräger inductive charger for charging 1 device	SRM11897	8325825
	Dräger adapter for power plug	SRM11943	8325736
	Dräger power plug 100-240 Vac; 1.33a	SRM09765	8321849
	Dräger X-dock® module Dräger X-am® 8000+	SRM11903	8321894
	Dräger sensor IR CO <sub>2</sub>	SRM07713	6812190
	Dräger sensor XXS CO/CO LC	SRM04371	6810882
	Dräger sensor Cat EX 125	SRM04311	6812950
	Dräger sensor XXS O <sub>2</sub>	SRM04313	6810881
	Dräger sensor XXS H <sub>2</sub> S	SRM04312	6810883

D-380-

# All-In-One-Packages



## All-in-one-package Multi-gas scanner for Detecting Volatile organic compounds\*

Innovative technology for detecting volatile organic compounds (VOCs) as well as carcinogens

**Description:** The X-Pid® 9500 was specially developed for monitoring safety limits of carcinogenic substances in low concentration ranges.

The gas detection device monitors levels of benzene, butadiene and other VOCS in the ambient air.

Thanks to its high sensitivity, it reliably detects VOCS within the parts-per-billion (ppb) concentration range during clearance tests for safe entry into containers, silos and other confined spaces.

Rental no.: kit 6

\*please contact the Dräger Rental service for information about availability.

Scope of delivery	All-In-One-Package consisting of:	rental no.	Order no.
	Dräger X-Pid® 9500	SRM11924	6851848
	Dräger case with inlay for Dräger X-Pid® 9x00	SRM11925	6851851
	Test gas 58 l, C4H8, C7H8/n2 (X-Pid)	SRM11981	6814046
	Control valve basic 0.5 lpm	SRM06501	6810397
	Dräger X-Pid® 9500 test gas adapter	SRM11982	6851850

# All-In-One-Packages



## All-in-one-package Self-contained Breathing apparatus

Ergonomic, lightweight and extremely comfortable

**Description:** Whenever you need a self-contained supply of breathing air, the self-contained air breathing apparatus all-in-one-package, consisting of Dräger full-face mask (e.g. panorama nova full-face mask), A Dräger lung demand valve, Dräger breathing air cylinder and Dräger self-contained breathing apparatus is the number one choice.

The system is ergonomically designed and offers ultimate comfort as well as maximum safety for tasks inside containers, silos and confined spaces.

Rental no.: kit 7

Scope of delivery	All-In-One-Package consisting of:	rental no.	Order no.
	Dräger PSS 3000 comfort	SRM06591	3357794
	Dräger panorama nova p triplex	SRM06079	R52992
	Dräger PSS lung Demand Valve	SRM03580	3338700
	Compressed air cylinder 6 l/300 bar	SRM03782	3353733

D-14265-2014

## All-In-One-Packages



### All-in-one-package External Breathing air supply (1 user)

Air supply for long-term use

**Description:** Do you need a centralised air supply for tasks inside hazardous atmospheres? Our compressed air hose breathing respirators are the ideal solution.

The Dräger pas® airpack1 reliably supplies breathing air to a single user.

All the user needs is a lightweight, wearable system. Thanks to its design, the Dräger pas® Airpack 1 can always be placed safely within reach on the worksite.

**Rental no.:** kit 8

Scope of delivery	All-In-One-Package consisting of:	rental no.	Order no.
	Dräger pas® Airpack 1	SRM03914	3352228
	2 × Compressed air cylinder 6 l/300 bar	SRM03782	3353733
	Dräger pas X-plore with Belt	SRM11239	3363584
	Dräger panorama nova p triplex	SRM06079	R52992
	Dräger PSS lung Demand Valve	SRM03580	3338700

## All-In-One-Packages



### All-in-one-package External Breathing air supply (4 users)

Air supply for long-term use with multiple users

**Description:** a reliable, long-term air supply is indispensable when performing lengthier tasks under hazardous conditions.

The Dräger pas® Airpack 2 supplies breathing air to up to four users at once. It is the ideal device for cleaning tanks.

We also rent out all necessary accessories for this system, from reserve cylinders and high-capacity cylinder bundles to pressure reducers, supply hoses and compressed air filter units.

Rental no.: kit 9

#### Scope of delivery All-In-One-Package consisting of:

	Rental no.	Order no.
Dräger Pas® Airpack 2 (4 users)	SRM03678	3352236
2 × Dräger 50 l/335 bar/steel compressed air cylinder	SRM03674	–
Gas cylinder pallet for 12 cyl. a 50 l	SRM09008	–
2 × Dräger Distributor piece (Y-piece)	SRM03586	R27945
4 × Dräger compressed air Hose, 5 m	SRM03584	aI01260
4 × Dräger panorama nova p triplex	SRM06079	R52992
4 × Dräger PSS lung Demand Valve	SRM03580	3338700
4 × Dräger pas X-plore with Belt	SRM11239	3363584

# All-In-One-Packages



## All-in-one-package X-plore® 8500 powered air-purifying Respirator (PapR) with mask

Effective protection against health-hazardous particles

**Description:** powered air-purifying respirators together with our hoods and visors, have been specially developed for tasks that require effective protection against particles.

These systems are ergonomically designed and offer ultimate comfort as well as maximum safety, performing reliably even in the harshest conditions.

Thanks to the large selection of respiratory connectors, including masks, hoods, helmets and visors, the device can be configured for the widest range of possible applications. The compatible filter must be ordered separately.

Rental no.: kit 10

Scope of delivery	All-In-One-Package consisting of:	rental no.	Order no.
	Dräger X-plore 8500 PAPR unit	SRM10608	R59500
	Dräger X-plore 8000 standard charger	SRM10610	R59580
	Dräger X-plore 8000 High-capacity battery	SRM10609	R59585
	Dräger X-plore 8000 standard belt	SRM10611	R59700
	Dräger X-plore 6300 Ra	SRM03858	R55800
	Dräger X-plore 8000 Flexible hose, masks	SRM10615	R59610

D-14948-2017



# All-In-One-Packages



## All-in-one-package X-plore® 8500 powered air-purifying Respirator (PAPR) with Helmet

Effective protection against particles hazardous to health

**Description:** Powered air-purifying respirators together with our hoods and visors, have been specially developed for tasks that require effective protection against particles, gases and fumes, or combinations of all these hazards.

These systems are ergonomically designed and offer ultimate comfort as well as maximum safety, performing reliably even in the harshest conditions.

Thanks to the large selection of respiratory connectors, including masks, hoods, helmets and visors, the device can be configured for the widest range of possible applications. The compatible filter must be ordered separately.

Rental no.: kit 11

Scope of delivery	All-In-One-Package consisting of:	rental no.	Order no.
	Dräger X-plore 8500 papR unit	SRM10608	R59500
	Dräger X-plore 8000 standard charger	SRM10610	R59580
	Dräger X-plore 8000 High-capacity battery	SRM10609	R59585
	Dräger X-plore 8000 standard belt	SRM10611	R59700
	Dräger X-plore Helmet with Visor	SRM07925	R58325

D-14941-2017

# All-In-One-Packages



## All-in-one-package X-plore® 8700 (ex) powered air-purifying Respirator (PAPR) with Helmet\*

Effective protection against particles hazardous to health

**Description:** Powered air-purifying respirators together with our hoods and visors, have been specially developed for tasks that require effective protection against particles, gases and fumes, or combinations of all these hazards.

The X-plore® 8700 (ex) powered air-purifying respirator is suitable for use inside explosion-hazard zones.

These systems are ergonomically designed and offer ultimate comfort as well as maximum safety. The compatible filter must be ordered separately.

Rental no.: kit 12

\*please contact the Dräger Rental Service for information about availability.

Scope of delivery	All-In-One-Package consisting of:	rental no.	Order no.
	Dräger X-plore 8700 PAPR unit (EX)	SRM11959	R59550
	Dräger X-plore 8000 standard charger	SRM10610	R59580
	Dräger X-plore 8000 High-capacity battery	SRM10609	R59585
	Dräger X-plore 8000 standard belt	SRM10611	R59700
	Dräger X-plore Helmet with Visor	SRM07925	R58325

D-88-2018



# Breathing air supply

Do you have to safeguard your employees from inhaling toxic gases, vapours or dust particles? The rule is: as much protection as necessary, as little physical strain as possible.

Your employees should be able to work safely and with as little discomfort as possible. The appropriate solution for all application scenarios is available in our portfolio. Whether these are masks that are used once or repeatedly with filters, self-contained breathing air supply – decentralised or centralised –, powered air purifying respirators or escape masks: Tell us what your job is and we will deliver the right product

## Full-Face Masks – normal Pressure

### Dräger X-plore® 6300 Ra

- Description:
- mask body with double-sealed frame and EPDM triple seal line
  - 5-point harness
  - Distortion-free visor made from Plexiglas in a plastic frame
  - Round-threaded connector (Rd40×1/7" as per EN 148-1)
  - plastic exhalation valve cap and plastic speech membrane
  - EN 136 class 2 with ce marking

Rental no.: SRM03858

Order no.: R55800



st-7497-2005

### Dräger X-plore® 6530 Ra triplex

- Description:
- mask body with double-sealed frame and EPDM triple seal line
  - 5-point harness and neck strap
  - Visor made from triplex laminated safety glass in stainless steel tented frame
  - Round-threaded connector (Rd40×1/7" as per EN 148-1)
  - plastic exhalation valve cap and stainless steel speech membrane
  - EN 136 class 3 with ce marking

Rental no.: SRM03591

Order no.: R55810



st-7499-2005

# Powered Air-Purifying respirators

## Dräger X-plore® 8500 PAPR unit



D-118976-2013

- Description:**
- two-step alarm concept with differentiation of risk level
  - operating time between four and 24 hours
  - protection class ip65 (dust-tight and resistant to water jets from all sides)
  - automatic filter recognition
  - automatic hose identification

**Note:** For use, please order the corresponding hood, helmet or mask with folding hose depending on the required protection class and the accessories, such as battery, charger, comfort strap and filter, separately.

**Rental no.:** SRM10608

**Order no.:** R59500

### Equipment

	Description	rental no.	Order no.
<b>A</b>	Dräger X-plore 8000 Welding visor	SRM10812	R59920
	Dräger X-plore 8000 High-capacity battery	SRM10609	R59585
	Dräger X-plore 8000 standard charger	SRM10610	R59580
<b>B</b>	Dräger X-plore 8000 standard belt	SRM10611	R59700
<b>C</b>	Dräger X-plore 8000 Flexible hose, helmets	SRM10519	R59650
	Dräger X-plore 8000 Flexible hose, hoods	SRM10614	R59600
	Dräger X-plore 8000 Flexible hose, masks	SRM10615	R59610
<b>D</b>	Dräger X-plore Helmet with Visor	SRM07925	R58325
<b>E</b>	Dräger X-plore 6300 Ra	SRM03858	R55800
	Dräger X-plore 6530 Ra triplex	SRM03591	R55810
	Dräger X-plore 8000 standard Hood, short (I/XI)	SRM10612	R59810
	Dräger X-plore 8000 standard Hood, long (I/XI)	SRM10613	R59830
<b>F</b>	Dräger X-plore 8000 Filter a1B1e1k1 Hg p R sl	SRM10632	6739555



# Dräger X-plore® 8700 papR unit (ex)\*

- Description:
- ATEX-approved
  - two-step alarm concept with differentiation of risk level
  - service life between four and 24 hours
  - protection class ip65 (dust-tight and resistant to water jets from all sides)
  - automatic filter recognition
  - automatic hose identification

Note: For use, please order the corresponding hood, helmet or mask with folding hose deepening on the required protection class and the accessories, such as battery, charger, comfort strap and filter, separately.

Rental no.: SRM11959

Order no.: R59550

\*please contact the Dräger Rental service for information about availability.



D-5586-2017

## Equipment

	Description	rental no.	Order no.	
A	Dräger X-plore 8000 Welding visor with ADF	SRM11542	R59940	☆
B	Dräger X-plore 8000 High-capacity battery	SRM10609	R59585	☆
	Dräger X-plore 8000 standard charger	SRM10610	R59580	
C	Dräger X-plore 8000 standard belt	SRM10611	R59700	
D	Dräger X-plore 8000 Flexible hose, helmets	SRM10519	R59650	
	Dräger X-plore 8000 Flexible hose, hoods	SRM10614	R59600	
	Dräger X-plore 8000 Flexible hose, masks	SRM10615	R59610	
E	Dräger X-plore Helmet with Visor	SRM07925	R58325	
	Dräger X-plore 8000 standard Hood, short (I/XI)	SRM10612	R59810	
	Dräger X-plore 8000 standard Hood, long (I/XI)	SRM10613	R59830	
F	Dräger X-plore 6300 Ra	SRM03858	R55800	
	Dräger X-plore 6530 Ra triplex	SRM03591	R55810	
	Dräger X-plore 8000 Filter a1B1e1k1 Hg p R sl	SRM10632	6739555	



## Purifying respirators – head Pieces

### Dräger X-plore® 8000 standard Hood, short (I/XI)

Description: – For use with powered air-purifying respirators  
– Short hood without additional mechanical head and eye protection

Rental no.: SRM10612

Order no.: R59810



D-397-

### Dräger X-plore® 8000 standard Hood, long (I/XI)

Description: – For use with powered air-purifying respirators  
– Long hood without additional mechanical head and eye protection

Rental no.: SRM10613

Order no.: R59830



D-398-

### Dräger X-plore® Helmet with Visor

Description: – Work safety helmet with fold-up polycarbonate visor  
– Protective headwear acc. EN 397

Rental no.: SRM07925

Order no.: R58325



D-11292-

# Dräger X-plore<sup>®</sup> 8000 Welding Visor

Description:      – Protective welding visor with built-in safety glass  
                          – Automatic protective welding filter protects eyes  
                          from light and flashover

---

Rental no.:       SRM10812

---

Order no.:       R59920

---



D-11800-2016



# Powered air-purifying Respirators accessories

D-754-



**Folding hose for X-plore helmet R58325**  
 Folding hose for use with X-plore work safety helmet  
 Rental no.: SRM07888  
 Order no.: R58326

D-118898-2013



**Dräger X-plore 8000 standard charger**  
 Charging system recharges empty battery in approx. three hours  
 Up to 80% recharged after two hours of charging  
 Rental no.: SRM10610  
 Order No.: R59580

D-119045-2013



**Dräger X-plore 8000 high-capacity battery**  
 Lithium ion battery  
 Rental no.: SRM10609  
 order no.: R59585

D-119045-2013



**Dräger X-plore 8000 standard belt**  
 Three strap options available  
 – standard belt  
 – Decontamination belt  
 – Welding belt  
 Rental no.: SRM10611  
 Order no.: R59700

D-755-2016



**Dräger X-plore 8000 Flexible hose, helmets**  
 Breathing hose contoured to headpiece  
 Rental no.: SRM10519  
 Order no.: R59650

D-119058-2013



**Dräger X-plore 8000 Flexible hose, hoods**  
 Breathing hose contoured to headpiece  
 Rental no.: SRM10614  
 Order no.: R59600

D-757-2016



**Dräger X-plore 8000 Flexible hose, masks**  
 Breathing hose contoured to headpiece  
 Rental no.: SRM10615  
 order no.: R59610

D-609-2014



**Dräger X-plore 8000 Filter A1B1e1k1 hg P r sl**  
 Various filter types for all essential areas of application protection against a wide range of gases and fumes  
 Rental no.: SRM10632  
 Order no.: 6739555

## Filtering escape Devices

### Dräger PARAT<sup>®</sup> 4730 Hard case

Description:

- Plastic-encased industrial escape hood for protection against industrial gases, fumes and particles
- ABEK-P3 filter
- Service life: 15 min
- Din 58647-7

---

Rental no.: SRM10089

---

Order no.: R59431

---



D-92765-2013

## Dräger PARAT® 5520 soft pack

- Description:
- Soft-packed fire escape hood for protection against combustion gases, fumes and particles
  - also suitable for protection against H<sub>2</sub>s up to 2,500 ppm
  - CO P2 Filter
  - Service life: 15 min
  - EN 403:2004

Rental no.: SRM10205

Order no.: R59425



D-92771-2013

## Dräger PARAT® 5530 Hard case

- Description:
- Plastic-encased fire escape hood for protection against combustion gases, fumes and particles
  - Also suitable for protection against H<sub>2</sub>s up to 2,500 ppm
  - CO P2 Filter
  - Service life: 15 min
  - EN 403:2004

Rental no.: SRM10084

Order no.: R59435



D-92788-

## Dräger PARAT® 7520 soft pack

- Description:
- soft-packed combined fire and industrial escape hood for protection against toxic gases, fumes and particles
  - ABEK CO P3 filter
  - Service life: 15 min
  - EN 403:2004 and Din 58647-7

Rental no.: SRM10206

Order no.: R59427



D-92763-2013

## Dräger PARAT® 7530 Hard case

- Description:
- plastic-encased combined fire and industrial escape hood for protection against gases, fumes and particles
  - ABEK CO P3 filter
  - Service life: 15 min
  - EN 403:2004 and Din 58647-7

Rental no.: SRM10090

Order no.: R59437



D-92792-

## Escape Devices – compressed Air

### Dräger saver CF 15

- Description:
- suitable for evacuating zone 0 areas
  - Hood with constant flow valve and ozone-resistant neck collar
  - standard g 5/8 filling connection on the valve, fillable without tools or adapters
  - Warning whistle and fill-level indicator
  - With 3 l/200 bar steel cylinder for service life of 15 min
  - EN 1146:2005, ISO 23269-1:2008 with CE certified

Rental no.: SRM03921

Order no.: R45002



D-33925-2011

## Compressed Air and closed-circuit Breathing Apparatus

### Dräger pas standard

Description:	<ul style="list-style-type: none"> <li>– Protects the user when working in contaminated, gaseous and oxygen-depleted atmospheres</li> <li>– Backpack design</li> <li>– With manometer and injector-free warning whistle</li> </ul>
Note:	For use, please order full-face mask, lung demand valve and compressed air cylinder separately.
Rental no.:	SRM03581
Order no.:	3350592



ST-387-2000

### Dräger pas colt® for 3 l (without LDV)

Description:	<ul style="list-style-type: none"> <li>– Hip-pack design</li> <li>– Built-in cylinder sleeve and medium-pressure hose for connecting to all Dräger pss lung demand valves</li> <li>– Suitable for use in zone 0</li> <li>– acc. EN 137-1:2006</li> </ul>
Note:	For use, please order full-face mask, lung demand valve and compressed air cylinder separately.
Rental no.:	SRM03915
Order no.:	3352920



ST-3557-2003

### Dräger pas micro® (without LDV)

Description:	<ul style="list-style-type: none"> <li>– Backpack design</li> <li>– Built-in cylinder sleeve and medium-pressure hose for connecting to all Dräger pss lung demand valves</li> <li>– Suitable for use in zone 0</li> <li>– acc. EN 137-1:2006</li> </ul>
Note:	For use, please order full-face mask, lung demand valve and compressed air cylinder separately.
Rental no.:	SRM04021
Order no.:	3352640



ST-3559-2003

## Dräger PSS® 3000 comfort

- Description:
- Backpack design
  - ultralight, ergonomically designed carry frame with built-in hoses
  - Waistbelt
  - With manometer and injector-free warning whistle
  - EN 137:2006 type 2

Note: For use, please order full-face mask, lung demand valve and compressed air cylinder separately.

Rental no.: SRM06591

Order no.: 3357794



D-2246-2010

## Dräger PSS® 4000

- Description:
- Dräger Bodyguard 1500 system
  - Pull forward waist adjustment
  - Integrated hose channels
  - High-tech harness
  - Stainless steel adjusters
  - Extremely durable carrying system

Note: For use, please order full-face mask, lung demand valve and compressed air cylinder separately.

Rental no.: 3363988



D-44892-2015

## Dräger PSS® 5000 DP BG 7000

- Description:
- Ergonomic carrying system
  - Twistable waist belt
  - Durable, supportive harness
  - Quick fasteners on shoulder and waist straps
  - Made from top-quality materials, capable of withstanding harsh conditions

Note: For use, please order full-face mask, lung demand valve and compressed air cylinder separately.

Rental no.: SRM10153

Order no.: 3358356



D-19007-2010

## Compressed Air hose units

### Dräger pas<sup>®</sup> airpack 1 (1-2 users)

- Description:
- mobile breathing air source for connecting 1-2 compressed air hose device users
  - Hose drum and 50m compressed air supply hose
  - connects with up to four compressed air cylinders with a capacity of up to 12 l
  - en 14593-1
  - Zone 1

note: For use, please order harness and full-face mask separately. a distributor piece (Y-piece) and additional connection hoses are required to use the Dräger airpack 1 as a two-person unit.

Rental no.: SRM03914

order no.: 3352228



D-21187-2009

#### Equipment

	Description	rental no.	Order no.
A	compressed air cylinder 6.8 l/300 bar/cFc	SRM03782	3353733
B	Dräger pas X-plore with Belt	SRM11239	3363584
C	Drägerman pss-a lung Demand Valve	SRM03580	3338700
D	Dräger panorama nova p triplex	SRM06079	R52992
E	Dräger Distributor piece (Y-piece)	SRM03586	R27945



# Dräger pas<sup>®</sup> airpack 2 (2 users)



D-396-

- Description:**
- mobile breathing air source for connecting 1-4 compressed air hose device users
  - Hose drum and 50 m compressed air supply hose
  - connects with up to two compressed air cylinders with a capacity of up to 50 l
  - With jack ring for loading onto a jack or lift truck
  - en 14593-1
  - Zone 1

**Note:** For use, please order harness and full-face mask separately. a distributor piece (Y-piece) and additional connection hoses are required to use the Dräger airpack 2 as a two-person unit.

**Rental no.:** SRM03677

**Order no.:** 3352995

## Equipment

	Description	rental no.	Order no.
A	Dräger 50 l/335 bar/steel compressed air cylinder	SRM03674	–
B	Dräger pas X-plore with Belt	SRM11239	3363584
C	Drägerman pss-a lung Demand Valve	SRM03580	3338700
D	Dräger panorama nova p triplex	SRM06079	R52992
E	Dräger Distributor piece (Y-piece)	SRM03586	R27945





# Dräger pas<sup>®</sup> airpack 2 (4 users)



st-529-2006

**Description:**

- mobile breathing air source for connecting 1-4 compressed air hose device users
- Hose drum and 50 m compressed air supply hose
- connects with up to two compressed air cylinders with a capacity of up to 50 l
- With jack ring for loading onto a jack or lift truck
- EN 14593-1
- Zone 1

**Note:** For use, please order harness and full-face mask separately. a distributor piece (Y-piece) and additional connection hoses are required to use the Dräger airpack 2 as a three- or four-person unit.

**Rental no.:** SRM03678

**Order no.:** 3352236

## Equipment

	<b>Description</b>	<b>rental no.</b>	<b>Order no.</b>
<b>A</b>	Dräger 50 l/335 bar/steel compressed air cylinder	SRM03674	–
<b>B</b>	Dräger pas X-plore with Belt	SRM11239	3363584
<b>C</b>	Drägerman pss-a lung Demand Valve	SRM03580	3338700
<b>D</b>	Dräger panorama nova p triplex	SRM06079	R52992
<b>E</b>	Dräger Distributor piece (Y-piece)	SRM03586	R27945



# Air caddy, for aircylinders 2 × 50 l

- Description:
- Mobile breathing air apparatus
  - For transporting loaded steel-cylinder carts (2 × 50 l cylinders)
  - With double safety chain
  - Moveable support braces
  - Hose holder on the struts
  - Solid rubber tyres

Rental no.: see ordering information

order no.: see ordering information



STL-15208-2008

Ordering Information	Description	rental no.
air caddy, for aircylinders 2 × 50 l	with crane hook	SRM03917
air caddy, for aircylinders 2 × 50 l	without crane hook	SRM03916
air caddy, for aircylinders 2 × 50 l	with stabilization and crane hook	SRM06924

## Equipment

	Description	rental no.	Order no.	
A	Dräger 50 l/335 bar/steel compressed air cylinder	SRM03674	–	☆
B	Dräger pas pressure reducer	SRM05848	3357357	☆
C	Dräger Distributor piece (Y-piece)	SRM03586	R27945	☆
D	Dräger compressed air Hose, 5 m	SRM03584	AL01260	
	Dräger compressed air Hose, 10 m	SRM03585	AL01261	
	Dräger compressed air Hose, 20 m	SRM03691	AL01262	
	Dräger compressed air Hose, 30 m	SRM06181	–	☆
	Dräger compressed air Hose, 45 m	SRM03702	AL01263	
	Dräger compressed air Hose, 50 m	SRM10552	3352468	



# Compressed air Hose unit accessories


D-399-2017



**Dräger PAs X-plore with Belt**

Rental no.: SRM11239  
Order no.: 3363584

D-14277-2014



**Dräger PAs colt Airline harness**

Lightweight harness for use with Dräger pas airpack 1 or 2  
Medium-pressure quick coupling for lung demand valve  
With warning signal  
Rental no.: SRM04026  
order no.: 3352948

ST-806-2008



**Dräger ABII-I-1 Airline Belt Manifold**

Durable harness suitable for use with half- or full-facemasks  
For connection to an air supply hose and lung demand valve  
Rental no.: SRM06176  
order no.: AL01267

D-346-2017



**Dräger PAs Pressure reducer**

Accessories for the Dräger pas airpack 1 or 2  
Rental no.: SRM05848  
order no.: 3357357

D-14276-2014



**Dräger PAs AsV quick Fit BA kit**

Quick-assembly unit for use with compressed air breathing apparatuses pss 90, pss 100, pss 3000, pas standard, pas marine and pas lite  
Rental no.: SRM05454  
Order no.: 3354244

D-421-2017



**Dräger PAs AsV Micro klt (for PAs Micro)**

Durable, built-in switch-over valve for use with the Dräger pas micro  
Rental no.: SRM05681  
Order no.: 3354141

ST-2802-2004



**Dräger Distributor piece (y-piece)**

Accessories for Dräger supply hoses  
For splitting the supply across two compressed air supply hose users  
Rental no.: SRM03586  
Order no.: R27945

D-1000019-2011



**Dräger AF 1400 Airline equipment**

System for ensuring breathing air quality acc. EN 12021  
Rental no.: SRM04001  
order no.: AL01230

ST-3811-2003



**Dräger X-plore 9000 conditioner**  
 Stationary filter unit for purifying industrial compressed air from compressors or compressed air ducts connection for 1-2 users  
 Rental no.: SRM05208  
 order no.: 3353926

ST-992-2008



**Dräger X-plore 9000**  
 Harness set, incl. strap and silencer  
 Control for the breathing air flow volume  
 Rental no.: SRM05206  
 order no.: R56660

D-12174-2010



**Dräger general assembly hose drum**  
 Accessory for use with Dräger airpack 1  
 Rental no.: SRM05849  
 order no.: 3352239

D-31661-2011




**Dräger X-plore 9000 standard hose 10 m with plugs**  
 compressed air supply hose  
 Rental no.: SRM05207 order no.: 3353929

D-14248-2014



**Dräger compressed Air hose**  
 Compressed air supply hose for the Dräger pas lite, pas colt, pas micro and ABi-R

Ordering Information	rental no.	Order no.
Dräger compressed air Hose, 5 m	SRM03584	AL01260
Dräger compressed air Hose, 10 m	SRM03585	AL01261
Dräger compressed air Hose, 20 m	SRM03691	AL01262 
Dräger compressed air Hose, 30 m	SRM06181	-
Dräger compressed air Hose, 45 m	SRM03702	AL01263
Dräger compressed air Hose, 50 m	SRM10552	3352468

## Breathing Air compressors

### Dräger pas<sup>®</sup> mac 4000

- Description:
- mobile breathing air compressor for up to four users
  - suitable for industrial use (for example, in petrochemicals, power stations or tank cleaning)
  - Diesel motor
  - 710 l/min at 9 bar
  - For open-air use
  - Breathing air acc. EN 12021



note: For use, please order harness, full-face mask, compressed air hoses and distributor piece separately.

Rental no.: SRM06971



D-9763-

#### Equipment

	Description	rental no.	Order no.
A	Dräger 9 l/300 bar/cFc compressed air cylinder	SRM05730	3353734
B	Dräger pas X-plore with Belt	SRM11239	3363584 
C	Drägerman pss-a lung Demand Valve	SRM03580	3338700
D	Dräger panorama nova p triplex	SRM06079	R52992 
E	Dräger compressed air Hose, 20 m	SRM03691	AL01262



# Dräger JUNIOR II-W Compressor Unit

- Description:**
- Durability combined with versatility have led the JUNIOR II-W Compressor Unit to its status as a global classic.
  - This air compressor works a small size and refined technology to offer a safe and reliable supply of pure air, which is ideal for working in confined spaces.
  - Its portable design can be easily transported by one person, and is easily transported in regular sized vehicles.
  - The compact class: the Dräger JUNIOR 100 is a member of a generation of mobile breathing air compressors that offer reliability and durability coupled with highly compact dimensions and minimum weight. With an output of 100 l/min, the Dräger JUNIOR is ideally suited to recreational diving.
  - SIMPLE AND SAFE OPERATION Weighing only around 45 kg, the unit can be transported by one person and fits in any car boot. Easily comprehensible pictograms make operation easy. What is more, completely safe handling is guaranteed because all moving parts – like the drive belt, discs and fan – are protected against access.



---

**Note:** For use, please order harness, full-face mask, compressed air hoses and distributor piece separately.

**Rental no.:** 3551042

---

# Breathing air compressor accessories



D-14239-

**3/4" Distribution hose 15 m**

Rental no.: SRM08506

order no.: 3358797



D-14262-2014

**4 Man Distribution panel –  
alarmed**

Rental no.: SRM08507

order no.: 3358799



D-11163-2011

**Dräger Aerotest 5000**

For determining the breathing air quality in low pressure systems (2.5 to 10 bar) acc. EN 12021

use with Dräger tubes or oil impactor

Rental no.: SRM08115

order no.: 6401220



ST-7001-2008

**Dräger HP Aerotest simultan**

For determining the quality of breathing air in high pressure systems

use with Dräger tubes or oil impactor

Rental no.: SRM05744

order no.: 6525937

## Compressed Air cylinders

### Dräger 3l/300 bar/cFc compressed air cylinder

Description: – Nominal positive pressure: 300 bar  
– 300 bar, g 5/8" valve  
– Delivery: filled

Rental no.: SRM03920

Order no.: 3353811



D-14242-

### Dräger 6l/300 bar/steel compressed air cylinder

Description: – nominal positive pressure: 300 bar  
– 300 bar, g 5/8" or m25×2 valve  
– Delivery: filled

Rental no.: SRM03781

Order no.: 3355002



D-14247-

### Compressed air cylinder 6.8l/300 bar/CFC

Description: – nominal positive pressure: 300 bar  
– 300 bar, g 5/8" valve  
– Delivery: filled

Rental no.: SRM03782

Order no.: 3353733



D-14243-



## Dräger 50l/335 bar/steel compressed air cylinder

Description: – Nominal positive pressure: 300 bar (portable) and 335 bar (stationary)  
– 300 bar, g 5/8" valve  
– Delivery: filled

---

Rental no.: SRM03674

---



stl-15210-

## Dräger Breathing air cylinder Bundle (6 cylinders 50l/300 bar)

Description: – stationary, connected system of compressed air cylinders  
– sectional ducts

---

Rental no.: SRM04391

---

Order no.: 6531471

---



D-3124-

## Dräger Breathing air cylinder Bundle (12 cylinders 50l/300 bar)

Description: – Stationary, connected system of compressed air cylinders  
– Sectional ducts

Rental no.: SRM04393



D-3124

## Dräger cylinder cover (nomex) 6.8l/300 bar

Description: – Accessories for CFC cylinders  
– Cylinder sleeves woven from blue, synthetic fibre

Rental no.: SRM06242

Order no.: 3310622



st-1275-2008



# Gas detection technology

Dräger gas detection technology is made for almost every application purpose – robust, precise and easy to operate.

Area monitoring systems are particularly suitable for maintenance projects in which operating sites change frequently. Combined to form an alarm chain, they help monitor large scale areas. Worn close to the body, personal portable gas detectors are there at every turn and immediately warn your employees of toxic gases, explosion hazards and oxygen deficiency.



## Dräger VOICE - your hazmat-based safety product finder

Dräger VOICE is an essential tool for the safe handling of hazmats. One click and you'll receive relevant information and specific recommendations of safety equipment for more than 1,500 hazardous substances in its database. Give it a try – it is so simple.

Follow the link below to find the best application to suit your needs:

[https://www.draeger.com/en\\_ZA/Substances](https://www.draeger.com/en_ZA/Substances)

# Portable single-gas Detection Devices

## Dräger Pac® 7000

Single-gas detection and warning device with wide selection of sensors

Description: – Single-gas detection with Dräger XXs sensor technology  
– Data logger

Note: use the Dräger testing and calibration stations as well as the necessary gases to conduct the required function tests before each use.

Rental no.: see ordering information

order no.: see ordering information



sl-1758-2005

Ordering Information	standard Measuring range	A1/A2 Alarm thresholds	rental no.	Order no.
Dräger pac® 7000 H <sub>2</sub> S	0-200 ppm	at 10/20 ppm	SRM03825	8318674
Dräger pac® 7000 o <sub>2</sub>	0-25 % Vol.	at 19/23 % Vol.	SRM03827	8318675 ☆
Dräger pac® 7000 H <sub>2</sub> s lc	0-100 ppm	customized	SRM04279	8321004 ☆
Dräger pac® 7000 co	0-1,999 ppm	at 30/60 ppm	SRM03829	8318673 ☆
Dräger pac® 7000 co <sub>2</sub>	0-5 % Vol.	customized	SRM04002	8318975 ☆
Dräger pac® 7000 ci <sub>2</sub>	0-20 ppm	customized	SRM04275	8318978
Dräger pac® 7000 pH <sub>3</sub>	0-20 ppm	customized	SRM04277	8318974
Dräger pac® 7000 oV	0-200 ppm	customized	SRM04280	8321006
Dräger pac® 7000 oV-a	0-200 ppm	customized	SRM04281	8321007
Dräger pac® 7000 so <sub>2</sub>	0-100 ppm	customized	SRM04692	8318976
Dräger pac® 7000 nH <sub>3</sub>	0-300 ppm	customized	SRM03898	8318979
Dräger pac® 7000 Hcn	0-50 ppm	customized	SRM03899	8318973

### Equipment

Description	rental no.	Order no.
A Dräger Bump test station for Dräger pac®	SRM05741	8317410
B Dräger gasvision software	SRM04084	8325646
C Dräger communication module for Dräger pac®	SRM06741	8318587
D Dräger leather carrying case for Dräger pac®	SRM06174	4543822



# Dräger Pac® 6500/8000/8500

- Description:
- Reliable single-gas detection devices from the new Dräger pac series
  - Durable design for even the harshest conditions
  - 360° alarm with wide range of functions
  - user-friendly display
  - Dräger pac® 8500: equipped with Dräger dual sensor

note: use the Dräger testing and calibration stations as well as the necessary gases to conduct the required function tests before each use.

Rental no.: see ordering information

order no.: see ordering information



D-4895\*

Ordering Information	standard Measuring range	A1/A2 Alarm thresholds	rental no.	Order no.
Dräger pac® 6500 co	0-2,000 ppm	30/60 ppm	SRM11904	8326331
Dräger pac® 6500 H <sub>2</sub> s	0-100 ppm	5/10 ppm	SRM11905	8326330
Dräger pac® 6500 o <sub>2</sub>	0-25 % Vol.	19/23 % Vol.	SRM11906	8326332
Dräger pac® 6500 so <sub>2</sub>	0-100 ppm	0.5/1.0 ppm	SRM11907	8326333
Dräger pac® 8000 no	0-50 ppm	25/50 ppm	SRM11908	8326350
Dräger pac® 8000 co <sub>2</sub>	0-5 % Vol.	0.5/1 % Vol.	SRM11909	8326351
Dräger pac® 8000 cl <sub>2</sub>	0-20 ppm	0.5/1 ppm	SRM11910	8326352
Dräger pac® 8000 Hcn	0-50 ppm	1.9/3.8 ppm	SRM11911	8326353
Dräger pac® 8000 nH <sub>3</sub>	0-300 ppm	20/40 ppm	SRM11912	8326354
Dräger pac® 8000 pH <sub>3</sub>	0-20 ppm	0.1/0.2 ppm	SRM11913	8326355
Dräger pac® 8000 oV	0-200 ppm	10/20 ppm	SRM11914	8326356
Dräger pac® 8000 oV-a	0-200 ppm	10/20 ppm	SRM11915	8326357
Dräger pac® 8000 no <sub>2</sub>	0-50 ppm	5/10 ppm	SRM11916	8326358
Dräger pac® 8000 ozone	0-10 ppm	0.1/0.2 ppm	SRM11917	8326359
Dräger pac® 8000 phosgene	0-10 ppm	0.1/0.2 ppm	SRM11918	8326360
Dräger pac® 8500 H <sub>2</sub> s/co	0-100 ppm H <sub>2</sub> s 0-2,000 ppm co	5/10 ppm H <sub>2</sub> s 30/60 ppm co	SRM11919	8326365
Dräger pac® 8500 o <sub>2</sub> /co	0-25 % Vol. o <sub>2</sub> 0-2,000 ppm co	19/23 % Vol. o <sub>2</sub> 30/60 ppm co	SRM11920	8326366
Dräger pac® 8500 co-H <sub>2</sub> cp	0-2,000 ppm	30/60 ppm	SRM11921	8326367

## Equipment

Description	rental no.	Order no.
Dräger X-dock® 5300 pac	SRM09205	8321881
Dräger Bump test station for Dräger pac®	SRM05741	8317410
Dräger communication module for Dräger pac®	SRM06741	8318587

# Dräger X-am<sup>®</sup> 5100

Special Tox single-gas detection device for detecting HF, HCl, H<sub>2</sub>O<sub>2</sub> or hydrazine

- Description:**
- single-gas detection device with Dräger Xs sensor technology
  - Detects hydrogen peroxide, hydrazine or hydrogen fluoride/ hydrogen chloride
  - alarm thresholds adjustable to various national standards
  - event and data logger

**note:** Battery included. For use, please also order the necessary accessories, such as Drägersensors and charger. use the Dräger testing and calibration stations as well as the necessary gases to conduct the required function tests before each use.

Rental no.: SRM08433

order no.: 8322750



D-7474-2019

## Equipment

	Description	rental no.	Order no.
	Drägersensor Xs ec H <sub>2</sub> O <sub>2</sub> – measuring range 0-20 ppm	SRM04348	6809170
	Drägersensor Xs ec HF/Hcl – measuring range 0-30 ppm	SRM04354	6809140
	Drägersensor Xs ec Hydrazine – measuring range 0-5 ppm	SRM04355	6809190
A	Battery charger 12 V/1.2 a (for 1 X-am 7000 or 2 X-am 2/5x00)	SRM06539	8315635
B	Dräger X-am 1/2/5x00 charging module	SRM03693	8318639
C	Dräger 8 X-am 7000 or 20 X-am 2/5x00 multi charger	SRM03856	8315805



## Portable Multi-gas Detection Devices

### Dräger X-am<sup>®</sup> 2500 ex, O<sub>2</sub>, CO, H<sub>2</sub>S-Ic

Durable one- to four-gas detection device with very short response time

- Description:
- 1- to 4-gas detection device with Dräger XXs sensor technology
  - equipped with catalytic ex and three electrochemical sensors
  - monitors flammable gases and fumes
  - alarm thresholds adjustable to various national standards
  - event and data logger

note: Battery included. For use, please also order the necessary accessories, such as charger.  
use the Dräger testing and calibration stations as well as the necessary gases to conduct the required function tests before each use.

Rental no.: SRM09947

order no.: 8323918



D-59024-

### Equipment

	Description	rental no.	Order no.
A	Battery charger 12 V/1.2 a (for 1 X-am 7000 or 2 X-am 2/5x00)	SRM06539	8315635
	Dräger X-am 1/2/5x00 charging module	SRM03693	8318639
	Dräger 8 X-am 7000 or 20 X-am 2/5x00 multi charger	SRM03856	8315805
B	Dräger Bump test station X-am 1/2/5x00	SRM04085	8319131
C	Dräger X-am pump incl. USB charger	SRM11712	8327115
	Dräger calibration cradle for X-am 1/2/5x00	SRM05752	8318752
	Dräger leather carrying case for X-am 1/2/5x00	SRM06779	8318755



# Dräger X-am<sup>®</sup> 5000

Lightweight, versatile one- to five-gas detection device for all explosive gases



st-1639-2007

- Description:**
- 1- to 5-gas detection device with Dräger XXs sensor technology
  - equipped with catalytic ex and three electrochemical sensors, replaceable
  - simultaneous detection of five gases only possible with co/H<sub>2</sub>s double sensor
  - monitors oxygen, flammable gases and fumes
  - alarm thresholds adjustable to various national standards
  - event and data logger

**note:** Battery included. For use, please also order the necessary accessories, such as Drägersensors and charger. use the Dräger testing and calibration stations as well as the necessary gases to conduct the required function tests before each use.

Rental no.:	SRM04207
order no.:	8320000

## Equipment

	Description	rental no.	Order no.
A	Battery charger 12 V/1.2 a (for 1 X-am 7000 or 2 X-am 2/5x00)	SRM06539	8315635
B	Dräger X-am 1/2/5x00 charging module	SRM03693	8318639
	Dräger 8 X-am 7000 or 20 X-am 2/5x00 multi charger	SRM03856	8315805
C	Dräger Bump test station X-am 1/2/5x00	SRM04085	8319131
D	Dräger X-am pump incl. USB charger	SRM11712	8327115
	Dräger calibration cradle for X-am 1/2/5x00	SRM05752	8318752
E	Dräger cse carry case set for Dräger X-am 1/2/5x00 without pump	SRM04214	8319399
F	Dräger leather carrying case for X-am 1/2/5x00	SRM06779	8318755





A Description*	rental no.	Order no.
Drägersensor catex 125 pR	SRM04311	6812950
Drägersensor XXs o <sub>2</sub>	SRM04313	6810881
Drägersensor XXs co	SRM04371	6810882
Drägersensor XXs H <sub>2</sub> s	SRM04312	6810883
Drägersensor XXs H <sub>2</sub> s Ic	SRM04323	6811525
Drägersensor XXs co <sub>2</sub>	SRM04319	6810889
Drägersensor XXs co/H <sub>2</sub> s	SRM04324	6811410
Drägersensor XXs o <sub>3</sub>	SRM07230	6811540
Drägersensor XXs no <sub>2</sub>	SRM04314	6810884
Drägersensor XXs so <sub>2</sub>	SRM04315	6810885
Drägersensor XXs pH <sub>3</sub>	SRM04316	6810886
Drägersensor XXs Hcn	SRM04317	6810887
Drägersensor XXs nH <sub>3</sub>	SRM04318	6810888
Drägersensor XXs cl <sub>2</sub>	SRM04320	6810890
Drägersensor XXs oV	SRM04321	6811530
Drägersensor XXs oV-a	SRM04322	6811535
Drägersensor XXs co H <sub>2</sub> -cp	SRM04325	6811950
Drägersensor Xs ec cocl <sub>2</sub>	SRM04337	6808582
Drägersensor XXs H <sub>2</sub> s Hc	SRM10034	6812015
Drägersensor XXs no	SRM06442	6811545
Drägersensor XXs odorant	SRM06658	6812535
Drägersensor XXs H <sub>2</sub>	SRM06583	6812370
Drägersensor XXs cocl <sub>2</sub>	SRM08434	6812005
Drägersensor XXs H <sub>2</sub> Hc	SRM06499	6812025
Drägersensor XXs no <sub>2</sub> Ic	SRM08213	6812600

\*Further Drägersensors on request.

A



D-12/1952-2010

# Dräger X-am<sup>®</sup> 5600

Extremely compact one- to six-gas detection device with durable infrared sensor technology



- Description:
- 1- to 6-gas detection device with Dräger XXs sensor technology
  - equipped with infrared, ex and three electrochemical sensors, replaceable
  - simultaneous detection of six gases only possible with co/H<sub>2</sub>s double sensor
  - monitors oxygen, flammable gases and fumes
  - alarm thresholds adjustable to various national standards
  - event and data logger

Note: Battery included. For use, please also order the necessary accessories, such as Dräger sensors and charger. use the Dräger testing and calibration stations as well as the necessary gases to conduct the required function tests before each use.

Rental no.: sRm06492

order no.: 8321050

D-23637-

## Equipment

	Description	rental no.	Order no.
A	Battery charger 12 V/1.2 a (for 1 X-am 7000 or 2 X-am 2/5x00)	SRM06539	8315635
B	Dräger X-am 1/2/5x00 charging module	SRM03693	8318639
	Dräger 8 X-am 7000 or 20 X-am 2/5x00 multi charger	SRM03856	8315805
C	Dräger Bump test station X-am 1/2/5x00	SRM04085	8319131
D	Dräger X-am pump incl. USB charger	SRM11712	8327115
	Dräger calibration cradle for X-am 1/2/5x00	SRM05752	8318752
E	Drägercse carry case set for Dräger X-am 1/2/5x00 without pump	SRM04214	8319399
F	Dräger leather carrying case for X-am 1/2/5x00	SRM06779	8318755



	Description*	rental no.	Order no.
A	Drägersensor XXs IR Ex	SRM08044	6812180
B	Drägersensor Dual iR Ex/CO <sub>2</sub>	SRM06493	6811960
	Drägersensor catex 125 PR	SRM04311	6812950
C	Drägersensor XXs O <sub>2</sub>	SRM04313	6810881
	Drägersensor XXs co	SRM04371	6810882
	Drägersensor XXs H <sub>2</sub> S	SRM04312	6810883
	Drägersensor XXs H <sub>2</sub> S Ic	SRM04323	6811525
	Drägersensor XXs CO <sub>2</sub>	SRM04319	6810889
	Drägersensor XXs CO/H <sub>2</sub> S	SRM04324	6811410
D	Drägersensor XXs NO <sub>2</sub>	SRM04314	6810884
E	Drägersensor XXs SO <sub>2</sub>	SRM04315	6810885
	Drägersensor XXs PH <sub>3</sub>	SRM04316	6810886
	Drägersensor XXs HCN	SRM04317	6810887
	Drägersensor XXs NH <sub>3</sub>	SRM04318	6810888
F	Drägersensor XXs CL <sub>2</sub>	SRM04320	6810890
G	Drägersensor XXs OV	SRM04321	6811530
	Drägersensor XXs oV-a	SRM04322	6811535
	Drägersensor XXs co H <sub>2</sub> -cp	SRM04325	6811950
	Drägersensor XXs O <sub>3</sub>	SRM07230	6811540
H	Drägersensor XXs H <sub>2</sub> s Hc	SRM10034	6812015
	Drägersensor XXs H <sub>2</sub>	SRM06583	6812370
	Drägersensor XXs H <sub>2</sub> Hc	SRM06499	6812025
I	Drägersensor XXs no	SRM06442	6811545

\*Further Drägersensors on request.



# Dräger X-am<sup>®</sup> 8000

- Description:**
- Detection of up to seven toxic and/or flammable gases and fumes, as well as oxygen
  - easy to switch between pump and diffusion mode
  - optional Bluetooth module for connecting with cse connect android app
  - easy to read with colour display and zoom function
  - inductive charging



**Note:** Battery included. For use, please also order the necessary accessories, such as Drägersensors and charger. use the Dräger testing and calibration stations as well as the necessary gases to conduct the required function tests before each use.

Rental no.: sRm11894

order no.: 8325800

D-14286-

## Equipment

	Description	rental no.	Order no.
<b>A</b>	Dräger inductive charger for charging 1 device	SRM11897	8325825
	Dräger X-am 8000 pump	SRM11895	–
	Dräger X-am 8000 pump adapter incl. dust and water filter	SRM11896	8326820
	Dräger adapter for power plug	SRM11943	8325736
<b>B</b>	Dräger power plug 100-240 Vac; 1.33 a for charging up to five devices	SRM09765	8321849
	Dräger 100-240 Vac power supply; 6.25 a (X-dock) for charging up to 20 devices	SRM09206	8321850
	Dräger X-dock <sup>®</sup> module Dräger X-am <sup>®</sup> 8000+	SRM11903	8321894
	Dräger X-dock 5300 X-am 8000	SRM11940	8321882
	Dräger calibration adapter for X-am 8000	SRM1899	8326821
<b>C</b>	Dräger X-am 8000 leather carrying case	SRM11898	8327664



	Description*	rental no.	Order no.
A	Drägersensor catex 125 PR	SRM04311	6812950
	Drägersensor catex 125 PR gas	SRM11944	6813080
	Drägersensor Dual IR Ex/CO <sub>2</sub>	SRM06493	6811960
B	Drägersensor IR Ex	SRM08044	6812180
	Drägersensor IR CO <sub>2</sub>	SRM07713	6812190
C	Drägersensor® PID Ic ppb (10.6 eV)	SRM11900	6813500
	Drägersensor® PID Hc (10.6 eV)	SRM11901	6813475
	Drägersensor® XXs O <sub>2</sub>	SRM04313	6810881
	Drägersensor® XXs S O <sub>2</sub> 100	SRM09869	6812385
	Drägersensor® XXs CO Ic	SRM04371	6813210
	Drägersensor® XXs CO Hc	SRM09977	6812010
	Drägersensor® XXs CO/H <sub>2</sub> compensated	SRM04325	6811950
	Drägersensor® XXs H <sub>2</sub> S Ic	SRM04323	6811525
	Drägersensor® XXs H <sub>2</sub> S Hc	SRM10034	6812015
	Drägersensor® XXs CO Ic/H <sub>2</sub> S Ic	SRM11945	6813280
	Drägersensor® XXs CO Ic/O <sub>2</sub>	SRM11529	6813275
	Drägersensor® XXs NO	SRM06442	6811545
	Drägersensor® XXs NO <sub>2</sub>	SRM04314	6810884
	Drägersensor® XXs NO <sub>2</sub> Ic	SRM08213	6812600
	Drägersensor® XXs SO <sub>2</sub>	SRM04315	6810885
	Drägersensor® XXs PH <sub>3</sub>	SRM04316	6810886
	Drägersensor® XXs PH <sub>3</sub> Hc	SRM10296	6812020
	Drägersensor® XXs HCN	SRM04317	6810887
	Drägersensor® XXs HCN pc	SRM11946	6813165
	Drägersensor® XXs NH <sub>3</sub>	SRM04318	6810888
	Drägersensor® XXs CO <sub>2</sub>	SRM04319	6810889
	Drägersensor® XXs CL <sub>2</sub>	SRM04320	6810890
	Drägersensor® XXs H <sub>2</sub>	SRM06583	6812370
	Drägersensor® XXs H <sub>2</sub> Hc	SRM06499	6812025
	Drägersensor® XXs OV	SRM04321	6811530
	Drägersensor® XXs OV-a	SRM04322	6811535
	Drägersensor® XXs amine	SRM08797	6812545
	Drägersensor® XXs odorant	SRM06658	6812535
	Drägersensor® XXs COCL <sub>2</sub>	SRM08434	6812005
	Drägersensor® XXs Ozone	SRM07230	6811540

\*Further Drägersensors on request.

A



B



C



# Accessories for portable single- and multi-gas Detection Devices



D-77452-

**Dräger communication module for Dräger Pac®**

Rental no.: SRM06741  
order no.: 8318587



st-14956-

**Dräger leather carrying case for Dräger Pac®**

Rental no.: SRM06174  
order no.: 4543822



st-14356-

**Dräger X-am 1/2/5x00 charging module**

For use, please order the necessary mains charger  
Rental no.: SRM03693  
order no.: 8318639



st-14990-

**Dräger X-am 7000 charging module**

For use, please order the necessary mains charger  
Rental no.: SRM03699  
order no.: 8316487



D-12287-

**Dräger 8 X-am 7000 or 20 X-am 2/5x00 Multi charger**

mains charger with connection cable for up to 20 charging modules  
For use, please order the necessary charging modules  
Rental no.: SRM03856  
order no.: 8315805



st-14332-

**Battery charger 12V/1.2A (for 1 X-am 7000 or 2 X-am 2/5x00)**

For use, please order the necessary charging modules  
Rental no.: SRM06539  
order no.: 8315635



st-15001-

**Dräger 12V/2.5A Power supply (for 1 X-am 7000 or 2 X-am 2/5x00)**

For use, please order the necessary charging modules  
Rental no.: SRM04220  
order no.: 8316994



D-14239-

**Dräger Adapter Bump test station (to DIN 14 cylinders)**

For connecting with 200 bar gas cylinders  
Rental no.: SRM07146  
order no.: 6811869

D-11858-



**Dräger X-am Pump  
incl. USB charger**

Rental no.: SRM11712

order no.: 8327115

D-34634-



**Dräger connection filter set  
for Dräger X-am Pump**

accessories for Dräger X-am  
1/2/5x00

Rental no.: SRM06275

order no.: 8319364

D-10380-



**Dräger hose, conductive, bulk**  
accessories for Dräger pump  
X-am series

Rubber hose, antistatic and  
electrically conductive

Rental no.: SRM06422

order no.: 1180681

D-10381-



**Dräger Viton hose, bulk**

accessories for Dräger pump  
X-am series

Viton hose, solvent-resistant

Rental no.: SRM06846

order no.: 1203150

D-10383-



**Dräger Float probe  
(without hose)**

accessories for Dräger X-am  
series

Rental no.: SRM03959

order no.: 6802337

D-10391-



**Dräger Float probe  
(including 10 m hose)**

accessories for Dräger X-am  
series

Rental no.: SRM03960

order no.: 6807097

D-10391-



**Dräger Float probe (with 5 m Viton hose, h<sub>2</sub>s)**

accessories for Dräger X-am series

Rental no.: SRM06282

order no.: 8318371

st-14992-



**Dräger telescopic probe 100, with accessories**

accessories for Dräger pump X-am series

Rental no.: SRM06278

order no.: 8316530

D-10113-




**Dräger es 150 telescopic probe**

accessories for Dräger X-am series

Rental no.: SRM08926

order no.: 8316533

st-14959-



**Dräger Plug-in telescopic probe**

accessories for Dräger X-am series

Rental no.: SRM10221

order no.: 6801954

D-26397-



**Dräger Bar probe 400**

accessories for Dräger pump X-am series

Rental no.: SRM03954

order no.: 8317188

st-13271-



**Dräger cse carry case set for Dräger X-am 1/2/5x00 without pump**

accessories for Dräger X-am 1/2/5x00

Rental no.: SRM04214

order no.: 8319399

st-15011-



**Dräger leather carrying case for X-am 1/2/5x00**

Rental no.: SRM06779

order no.: 8318755



D-6562-2017

**Dräger Inductive charger for charging 1 device**Rental no.: SRM11897order no.: 8325825

ST-4332-2008

**Dräger Adapter for power plug**Rental no.: SRM11943order no.: 8325736

D-14324-2017

**Dräger X-am 8000 Pump adapter incl. dust and water filter**Rental no.: SRM11896order no.: 8326820

D-27610-2017

**Dräger X-am 8000 leather carrying case**Rental no.: SRM11898order no.: 8327664

# Testing and calibration stations for portable Detection Devices



D-47820-2012

## **Dräger X-dock® 5300 Pac**

Rental no.: SRM09205

order no.: 8321881



D-47798-2012

## **Dräger X-dock® 5300 X-am 1/2/5x00 (master incl. 1 module)**

master station and device module for Dräger X-am 1/2/5x00 with three gas connections

mains charger included

Rental no.: SRM08911

order no.: 8321880



D-27820-2017

## **Dräger X-dock 5300 X-am 8000**

Rental no.: SRM11940

order no.: 8321882



D-47885-2012

## **Dräger X-dock® 6300**

Freely configurable master station for managing the device fleet

Rental no.: SRM09203

order no.: 8321900



D-47912-2012

## **Dräger X-dock® 6600 (master)**

master station with six gas connections, plus fresh air, for managing the device fleet up to ten modules combinable

Rental no.: SRM09325

order no.: 8321901



D-52815-2012

## **Dräger X-dock Module for Dräger Pac®**

Device module for holding one Dräger pac 35/55/7000

Rental no.: SRM09204

order no.: 8321892



D-52814-2012

## **Dräger X-dock Module X-am 1/2/5x00**

Device module for holding one Dräger X-am 1/2/5x00

Rental no.: SRM09285

order no.: 8321890



D-52814-2012

## **Dräger X-dock Module X-am 125+**

Device module for holding one Dräger X-am 1/2/5x00 + charging function

Rental no.: SRM08965

order no.: 8321891

D-27824-2017



**Dräger X-dock® Module**  
**Dräger X-am® 8000+**

Rental no.: SRM11903

order no.: 8321894

D-12276-2009



**Dräger Bump test station for**  
**Dräger Pac®**

automatic testing station for  
 verifying functionality of Dräger  
 pac 35/55/7000

Without iR interface for Dräger  
 mobile printers

Rental no.: SRM05741

order no.: 8317410

D-12274-2009



**Dräger Bump test station**  
**X-am 1/2/5x00**

automatic testing station for  
 verifying functionality of Dräger  
 X-am 1/2/5x00

Rental no.: SRM04085

order no.: 8319131

ST-15016-2008



**Dräger Bump test station**  
**X-am 7000**

automatic testing station for  
 verifying functionality of Dräger  
 X-am® 7000

Rental no.: SRM04691

order no.: 8318909

ST-14360-2008



**Dräger calibration cradle for**  
**X-am 1/2/5x00**

calibration accessories

Rental no.: SRM05752

order no.: 8318752

# Dräger X-pid® 9500\*

**Description:**

- selective detection of gases, fumes and toxic hazardous substances
- Rapid response times and laboratory-quality test results
- Ready to use immediately after short warm-up phase
- Reliable measurements under any environmental conditions

**note:** Device supplied with sensor unit, explosion-proof smartphone with preinstalled app, mains adapter and charging cable. For use, please order the necessary accessories and consumables.

**Rental no.:** SRM11924

**order no.:** 6851847



D-806-2018

\*please contact the Dräger Rental service for information about availability.

## Equipment

	Description	rental no.	Order no.
<b>A</b>	Dräger case with inlay for Dräger X-pid® 9x00	SRM11925	6851851
	test gas 58 l, c4H8, c7H8/n2 (X-pid)	SRM11981	6814046
<b>B</b>	control valve basic 0.5 lpm	SRM06501	6810397
	Dräger X-pid® 9500 test gas adapter	SRM11982	6851850
<b>C</b>	Dräger es 150 telescopic probe	SRM08926	8316533
<b>D</b>	Dräger Float probe (without hose)	SRM03959	6802337
	Hose 4.76 × 1.59 mm, 3 m, tygon, ptFe	SRM11639	8326980



# Dräger-tube pump accuro

Description: – Dräger-tube pump with tube opener and stroke counter  
 – For short-term detection with low stroke counts  
 – manual membrane pump with one-handed operation  
 – BVs 04 ateX H 068

Note: For use, please select the system components separately.

Rental no.: sRm03593

order no.: 6400000



D-19328-2009

## Equipment

	Description	rental no.	Order no.
A	Dräger-tubes choose the short-term measurement tubes suitable for your application from the overview on the following page		
B	Dräger to 7000 tube opener	SRM05499	6401200
C	Dräger Bar probe 400	SRM03954	8317188
D	extension hose, Dräger accuro & X-act 5000, 1 m	SRM06650	6400561
E	extension hose, Dräger accuro & X-act 5000, 3 m	SRM03952	6400077
F	extension hose, Dräger accuro & X-act 5000, 10 m	SRM03953	6400078



A Dräger-tubes*	Order no.
aBt (toluene 5/b)	8101661
acetic acid 5/a	6722101
acrylonitrile 0.5/a	CH26901
ammonia 0.25/a	8101711
ammonia 2/a	6733231
ammonia 5/a	CH20501
Benzene 0.25/a	8103691
carbon Dioxide 0.1%/a	CH23501
carbon Dioxide 0.5%/a	CH31401
carbon Dioxide 100/a	8101811
carbon monoxide 10/b	CH20601
carbon monoxide 2/a	6733051
carbon monoxide 5/c	CH25601
chlorine 0.2/a	CH24301
cyanogen chloride 0.25/a	CH19801
Formaldehyde 0.2/a	6733081
Hydrocarbons 0.1%/c	8103571
Hydrocyanic acid 0.5/a	8103601
Hydrogen Fluoride 0.5/a	8103251
Hydrogen Fluoride 1.5/b	CH30301
Hydrogen phosphide 0,1/a	CH31101
mercaptan 0.1/a	8103281
methyl Bromide 0.2/a	8103391
methyl Bromide 0.5/a	8101671
nitrous gases 2/a	CH31001
perchloroethylene 2/a	8101501
petrol Hydrocarbons 10/a	8101691
phenol 1/b	8101641
polytest	CH28401

\*Further Dräger-tubes on request.



D-14601-

## Alcohol and Drug Measuring systems

### Dräger Drugtest® 5000

- Description:
- Detection of drugs (amphetamine, benzodiazepine, cannabis, cocaine, methamphetamine and opiates) e.g. from oral samples
  - test results displayed and saved immediately after analysis is complete
  - analyzer includes mains charger and 12 V car adapter

Note: For use, please order the necessary test kits separately.

Rental no.: SRM05164

order no.: 8319900



D-54726-2012

#### Equipment

	Description	rental no.	Order no.
A	Dräger mobile printer	SRM05166	8319310
B	Dräger carrying case for Drugtest® 5000	SRM05165	8319960



## Alcohol and Drug Measuring systems

### Dräger Alcotest® 5000

- Description:
- The Dräger Alcotest® 5000 is a professional breath-alcohol tester which detects the presence of alcohol. The high-speed breathalyser lets you perform numerous tests in no time. Its special funnel reduces the back-flow of expired air to a minimum, preventing the risk of infection to subsequent test subjects.
  - Maximum control in minimum time with our fastest ever breathalyser
  - High-precision rapid alcohol testing with hygienic funnel design
  - Alcohol testing with simple operation and convenient oversight
  - Breath-alcohol testing at a distance
  - Innovation born out of tradition



Rental no.: 8327701

Note: For use, please order the necessary test kits separately.

### Dräger Alcotest® 6820

- Description:
- The fast and compact Dräger Alcotest® 6820 alcohol detection device meets the stringent requirements of professional breath-alcohol analysis. With its tried-and-tested DrägerSensor, this robust alcohol tester guarantees very rapid response times and precise test results in all weather conditions and can also be adapted to international guidelines.
  - Alcohol tests for increased safety
  - Very easy to use
  - Proven quality
  - Practical design
  - High-quality workmanship
  - "Slide 'n' Click" mouthpiece
  - Data processing and documentation
  - Optional accessories



Rental no.: 8322660

Note: For use, please order the necessary test kits separately.

### Dräger Mobile Printer

- Description:
- The Dräger Mobile Printer prints breath alcohol and drug test measurement results directly on the spot.
  - Documenting results
  - Wireless data transfer
  - Easy operation
  - Long-term stable printouts
  - Flexible power supply
  - Data storage





## Area Monitoring systems

### Dräger X-zone 5500 pump 868 mHZ/24 aH

Flexible all-rounder for area monitoring

- Description:
- expands Dräger X-am® 5000/5600 personal gas detection devices into networkable area monitoring devices
  - alarm chain with up to 25 devices possible
  - Built-in pump enables monitoring of difficult-to-access areas or confined spaces (up to 45 m distance)
  - 360° gas entry, clear warning using LED light ring and acoustic signal
  - service life of 120 hours
  - approved for zone 0

Note: Battery included. For use, please order the necessary charging equipment and X-am 5000/5600 separately.

Rental no.: sRm10246

order no.: 8324821



D-77511-2013

### Equipment

	Description	rental no.	Order no.
A	Dräger X-zone 5000 Bump test adapter	SRM06270	8323314
B	Dräger X-zone 5000 Holder X-am pump	SRM06269	8323936
	Dräger X-zone 5000 Diffusion cap	SRM06268	8323935
C	Dräger X-zone 5000 alarm damper	SRM06271	8320110
D	Dräger X-zone 5000 leg extender	SRM06272	8320645
	Dräger X-zone 5000 inductive charger	SRM06273	8322080
	Dräger X-zone 5000 single charger 15 V/2 a	SRM06274	8320749
E	X-zone com incl. sim card	SRM10303	8326514
F	Dräger X-zone com antenna	SRM10553	8324372
	Dräger X-zone com ex power supply	SRM10973	8324374





# Chemical protective suits

Chemical protective suits come in many versions. Choosing the right one depends on your specific work duties.

Are you planning clearance measurements, transferring substances (e.g., filling, decanting and draining containers), or service and maintenance work? Do you need to perform cleaning operations or simply be prepared for emergency operational readiness? We are happy to advise you in selecting the appropriate product.

## Chemical Protective suits

### Dräger cps 5800 I

- Description:
- limited-use protective suit for operations that involve a gaseous, liquid or solid hazardous substance
  - Diagonal zipper
  - pressure relief valve at chest level
  - use with compressed air breathing apparatus, external powered air-purifying respirators or compressed air hose device
  - en 943-1:2002, en 943-2:2002 (et) and solas ii-2, Reg. 19

Note: For use, please order the necessary respiratory protective gear separately.

Rental no.: SRM06592

order no.: R57788



D-22672-2009

### Dräger cps 5800 XI

- Description:
- limited-use protective suit for operations that involve a gaseous, liquid or solid hazardous substance
  - Diagonal zipper
  - pressure relief valve at chest height
  - use with compressed air breathing apparatus, external powered air-purifying respirators or compressed air hose device
  - EN 943-1:2002, en 943-2:2002 (et) and solas ii-2, Reg. 19

Note: For use, please order the necessary respiratory protective gear separately.

Rental no.: SRM06657

order no.: R57789



D-13083-2010

### Dräger cps 7800

- Description:
- limited-use protective suit for operations that involve a gaseous, liquid or solid hazardous substance
  - Diagonal zipper
  - pressure relief valve at chest height
  - use with compressed air breathing apparatus, external powered air-purifying respirators or compressed air hose device
  - EN 943 parts 1+2, en 1073-1/2, en 14126, EN 14593, VFDB directive 08/01:2006-11 (applied), Bs 8467, solas

Note: For use, please order the necessary respiratory protective gear separately.

Rental no.: SRM10300

order no.: R29650



D-44269-2012



# Fire protection

Hot work must be carried out safely. Effective prevention includes, among other things, ultra-heat-resistant welding mats to protect against sparks.

In the event of a worst-case scenario, portable fire extinguishers with the appropriate fire classification or portable pumps with suitable hoses should always be nearby. We also stock matching accessories such as radiant tubes and collection items for you. And in the event of particularly high risk, we even deliver a firefighting vehicle to your front door, if needed.

## Fire Protection

### 2 kg CO<sub>2</sub> Fire extinguisher

- Description:
- Fire class B (c)
  - permanent pressurized
  - combined handle and trigger
  - temperature range: -30°C to +60°C
  - approval: EN 3

---

Rental no.: SRM03932

---



stl-15286-

### 5 kg CO<sub>2</sub> Fire extinguisher

- Description:
- Fire class B (c)
  - permanent pressurized
  - combined handle and trigger
  - temperature range: -30°C to +60°C
  - approval: EN 3

---

Rental no.: SRM03933

---



stl-15286-

### 6 kg powder Fire extinguisher

- Description:
- Fire class aBc
  - integrated compressed air cylinder
  - combined carrying and impact trigger fitting
  - temperature range: -30°C to +60°C
  - approval: EN 3

---

Rental no.: SRM03929

---



stl-15285-

## 12 kg powder Fire extinguisher

- Description:
- Fire class aBc
  - integrated compressed air cylinder
  - combined carrying and impact trigger fitting
  - temperature range: -30°C to +60°C
  - approval: EN 3

Rental no.: SRM03931



sil-15285-

## 9 kg Water Fire extinguisher

- Description:
- Fire class a
  - inboard compressed gas cylinder
  - Handle valve, hose and extinguishing nozzle

Rental no.: SRM07679



D-606-

## Water Hand-pumped extinguisher 10 l

- Description:
- lid with easy-to-use clasp and carrying handle
  - Double-action pump with 3/4" thread connection and 1 m rubber hose (1/2") with mouthpiece

Rental no.: SRM04606



D-606-



"We supply the optimal equipment. If needed, within a few hours."


## We keep you up to speed

Our comprehensive services in medical and safety technology ensure maximum performance for your company.

To ensure that you achieve your objectives, we work closely together and support you with the service offering that fits best.

We are always by your side with our experience, flexibility and uncompromising quality standards in pursuit of your success.

That is our promise.



# Contact us today

All rental products presented are readily available and can be delivered anywhere within South Africa. You can choose from individual configurations or All-In-One-Packages for standard applications.

Request your personalised offer now!

**Our rental team is ready and waiting for your request, email or call us below and we will deal with your request swiftly.**

**E: [rentalsouthafrica@draeger.com](mailto:rentalsouthafrica@draeger.com)**

**T: +27 11 059 4200**



**Manufacturer:**

Drägerwerk AG & Co. KGaA  
Moislinger Allee 53–55  
23558 Lübeck, Germany

Locate your Regional Sales  
Representative at:  
[www.draeger.com/contact](http://www.draeger.com/contact)



**JOHANNESBURG HEAD OFFICE**

Dräger South Africa (Pty) Ltd  
Beatty Street  
Waterfall Commercial District  
Buccleuch Extension 9  
South Africa  
Tel: 011 059 4200  
Fax 011 465 6953  
[www.draeger.com](http://www.draeger.com)

**DURBAN**

Dräger South Africa (Pty) Ltd  
17 Thynk Industrial Park  
Cnr Queen Nandi Drive &  
Brickworks Way  
Briardene, Kwazulu-Natal  
South Africa  
Tel: 031 812 7900  
Fax: 031 5663 6847  
[www.draeger.com](http://www.draeger.com)

**CAPE TOWN**

Dräger South Africa (Pty) Ltd  
Unit 2, 7 on London  
7 on London Business Park  
Brackenfell, Cape Town  
South Africa  
Tel: 021 819 3012  
Fax: 021 945 424644  
[www.draeger.com](http://www.draeger.com)